



**BSS to Shore A Conversion Chart**

<b>BS Softness</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>
<b>0</b>	100	100	100	100	99	99	99	98	98	97
<b>10</b>	97	96	95	95	94	93	93	92	92	91
<b>20</b>	90	89	89	88	87	86	86	85	84	84
<b>30</b>	83	82	82	81	80	80	79	78	78	77
<b>40</b>	77	76	75	75	74	74	73	73	72	71
<b>50</b>	71	70	70	69	69	68	68	67	67	66
<b>60</b>	66	65	65	64	64	63	63	62	62	62
<b>70</b>	61	61	60	60	59	59	59	58	58	57
<b>80</b>	57	57	56	56	56	55	55	54	54	54
<b>90</b>	53	53	53	52	52	52	51	51	51	50
<b>100</b>	50	50	49	49	49	48	48	48	48	47
<b>110</b>	47	47	46	46	46	46	45	45	45	45
<b>120</b>	44	44	44	43	43	43	43	42	42	42
<b>130</b>	42	42	41	41	41	41	40	40	40	40
<b>140</b>	40	39	39	39	39	38	38	38	38	38
<b>150</b>	37	37	37	37	37	36	36	36	36	36
<b>160</b>	35	35	35	35	35	35	34	34	34	34
<b>170</b>	34	34	34	33	33	33	33	33	33	33
<b>180</b>	33	32	32	32	32	32	32	32	32	31
<b>190</b>	31	31	31	31	31	31	31	31	31	31
<b>200</b>	30	30	30	30	30	30	30	30	30	30

**Notes**

**Shore A - The higher the number, the harder it is**

**BSS - The higher the number, the softer it is**